

# Wireless Outdoor RB912UAG-5HPnD (1 bh AP AN) + StationboxMikro

**Kode** : W0912UAG-Mikro-5**Kategori** : Discontinued**Harga** : Rp 1.565.000,00

Produk dengan routerboard embedded RB912UAG-5HPnD dengan high power wireless access point 5 GHz (dual polarity), 600Mhz Atheros CPU, 64MB RAM, outdoor case dan routers L4. Sudah termasuk adaptor dan PoE. **Dilengkapi dengan Antenna Embeded 5Ghz 14db**

**Detail Barang:**

- Routerboard RB912UAG-5HPnD dengan outdoor Box dan Antenna 5Ghz 14db
- 1 port ethernet (1 untuk PoE)
- 1 buah embedded Atheros Wireless 802.11a+n 200Mbps 5GHz
- 2 buah pigtail MMCX to MMCX
- Power Adaptor 24 V
- Power over Ethernet Splitter
- Lisensi Mikrotik RouterOS AP - Level 4

**Spesifikasi RB912UAG-5HPnD**

|                     |                |
|---------------------|----------------|
| Product Code        | RB912UAG-5HPnD |
| Architecture        | MIPS-BE        |
| CPU                 | AR9342 600MHz  |
| Current Monitor     | No             |
| Main Storage/NAND   | 128MB          |
| RAM                 | 64MB           |
| SFP Ports           | 0              |
| LAN Ports           | 1              |
| Gigabit             | Yes            |
| Switch Chip         | No             |
| MiniPCI             | 0              |
| Integrated Wireless | 1              |
| Wireless Standarts  | 802.11 a/n     |
| Wireless Tx Power   | 30dbm          |

|                    |               |
|--------------------|---------------|
| Integrated Antenna | No            |
| MiniPCle           | 1             |
| SIM Card Slots     | Yes           |
| USB                | Yes           |
| Power on USB       | Yes           |
| Memory Cards       | No            |
| Power Jack         | No            |
| 802.3af Support    | No            |
| POE Input          | 10-30V        |
| POE Output         | No            |
| Serial Port        | No            |
| Voltage Monitor    | Yes           |
| Temperature Sensor | No            |
| Dimensions         | 105mm x 105mm |
| Operating System   | RouterOS      |
| Temperature Range  | -30C .. +60C  |
| RouterOS License   | Level4        |

StationBox® Mikro was designed to combine performance, functionality and aesthetics. The result is revolutionary. You do not need to create own panels, nor fittings for boards or antennas. Just plug the pigtails, insert the board and go! It has never been that simple!

### Easy Installation Without Tools

No tools are needed for board installation. Inserting the base panel into the top cover and closing the bottom cover is tool-less as well. Main body parts are secured by Auto-Lock System, that protects the box against coaccidental disassembly. With deployment time from carton box to pole below two minutes, your operations can be fast, smooth and cost effective as never before.

### Unlimited Mounting Versatility

StationBox® Mikro enables excellent mounting versatility. Its standard holder is compatible with NanoBracket® Universal, one of the most advanced CPE mounts on the market. StationBox Mikro holder is also compatible with Ubiquiti Networks® Rocket mounting base. Check also for other dimensions to ensure StationBox® Mikro will fit third party mount!

### Weather Resistant Design

StationBox® Mikro was designed to be placed in general outdoor environment and to resist weather impacts. StationBox® Mikro is built from high resistant UV stabilized ABS plastic. One-piece cover ensures the natural water resistance, while the enclosure is allowed to breathe and exchange hot air with environment and leak humidity in form of condensed drops of water.


### Spesifikasi Antenna:

2.4 GHz - 9 dBi MiMo dual polarization antenna

Freq. range: 2412~2472 MHz

Beam angle: 58°/61°

VSWR: ≤1,5



**Petunjuk Instalasi:**

<http://www.rfelements.com/download/InstallationGuide-SBXMikro.pdf>

\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

**URL :** <https://www.citraweb.com/produk/390/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)

[www.citraweb.com](http://www.citraweb.com)