


Switch Gigabit 5 port RB260GSP



Kode : RB260GSP
Kategori : Switch
Harga : Rp 740.000,00
Rp 883.000,00

Produk ini merupakan switch gigabit 5 port + **1 SFP port** dengan kemasan plastik, dengan prosesor Taifatech TF470 NAT accelerator (RISC, 50MHz), Atheros Switch Chip. Menggunakan Switch Operating System (SwOS) dari MikroTik. Sudah termasuk adaptor 12V.**PoE Out di Port 2-5**

Mampu melakukan fungsi-fungsi standart manageable switch, plus dapat mengatur port-to-port forwarding, menerapkan MAC filter, mengkonfigurasi VLAN, mirror traffic, bandwidth limitation, dan bahkan mengubah beberapa MAC dan IP header. Dikonfigurasi dilakukan menggunakan web. **PoE Out di Port 2-5**




Spesifikasi RB260GSP

Product Code	RB260GSP
Architecture	RISC
CPU	Taifatech TF470 50MHz
Current Monitor	No
Main Storage/NAND	32MB
RAM	96K
SFP Ports	1
LAN Ports	5
Gigabit	Yes
Switch Chip	1
MiniPCI	0

Integrated Wireless	No
MiniPCle	0
SIM Card Slots	No
USB	No
Memory Cards	No
Power Jack	10-28V
802.3af Support	No
POE Input	10-28V
POE Output	Yes, Port 2-5
Serial Port	No
Voltage Monitor	No
Temperature Sensor	No
Dimentions	113x89x28mm
Operating System	SwOS
Temperature Range	-40C .. +55C
RouterOS License	-

Screen Capture Web Remote



The screenshot shows the Mikrotik SwOS web interface. The 'Link' tab is selected. The configuration table shows settings for Port1 through Port5. All ports are enabled, have auto negotiation, and flow control. Link status for Port1 is 'link on', while others are 'no link'.

	Port1	Port2	Port3	Port4	Port5
Enabled	☒	☒	☒	☒	☒
Link Status	link on	no link	no link	no link	no link
Auto Negotiation	☒	☒	☒	☒	☒
Speed	100				
Full Duplex	yes	no	no	no	no
Crossover	no	no	no	no	no
Flow Control	☒	☒	☒	☒	☒

Buttons: Discard Changes, Apply All

MikroTik SwOS

Link Forwarding Statistics **VLAN** VLANs Static Hosts Hosts SNMP ACL System Logout

	Port1	Port2	Port3	Port4	Port5
Ingress					
VLAN Mode	disabled	disabled	disabled	disabled	disabled
Default VLAN ID	1	1	1	1	1
Force VLAN ID	☐	☐	☐	☐	☐
Egress					
VLAN Header	leave as is	leave as is	leave as is	leave as is	leave as is

Discard Changes Apply All

MikroTik SwOS

Link **Forwarding** Statistics VLAN VLANs Static Hosts Hosts SNMP ACL System Logout

	Port1	Port2	Port3	Port4	Port5
Forwarding					
From Port 1	☐	☒	☒	☒	☒
From Port 2	☒	☐	☒	☒	☒
From Port 3	☒	☒	☐	☒	☒
From Port 4	☒	☒	☒	☐	☒
From Port 5	☒	☒	☒	☒	☐
Port Lock					
Port Lock	☐	☐	☐	☐	☐
Lock On First	☐	☐	☐	☐	☐
Port Mirroring					
Mirror Ingress	☐	☐	☐	☐	☐
Mirror Outgress	☐	☐	☐	☐	☐
Mirror To	☐	☐	☐	☐	☐
Bandwidth Limit					
Ingres Rate					
Outgres Rate					
Broadcast Storm Control					
Storm Rate	unlimited	unlimited	unlimited	unlimited	unlimited
Include Unicast	☐	☐	☐	☐	☐

Discard Changes Apply All

* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/394/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com