

RF elements StationBox® S Carrier Class SBX-S-CC-2SMA



Kode : SBX-S-CC-2SMA

Kategori : RF elements

Harga : Rp 315.000,00

Rp 555.000,00

StationBox® S Carrier Class is a shielded compact outdoor enclosure for MikroTik boards. The entire body is made of die-cast aluminium and covered by UV resistant paint for increased durability. StationBox® S Carrier Class offers excellent protection against the most demanding outdoor conditions.

Paket ini hanya terdiri dari Box Enclosure, belum termasuk perangkat wireless.

StationBox® S CARRIER CLASS



StationBox® S CARRIER CLASS is compact enclosure designed for Router Board™ RB922, RB912 and RB911. StationBox® S CARRIER CLASS is made of die cast aluminium. It provides durability, extended environmental resistance and RF shielding. By integrating the RouterBoard™ you will create compact, robust and shielded connectorized radio powered by MikroTik™ technology.

It is compatible with UBNT airMax™ radio mounting system, therefore you can clip it to compatible antennas instantly.



Compatible Wireless Platforms :

MikroTik RouterBoard RB922, RB911, RB912, RB711, RB411

RFElements Antenna : SEC-CC-2-14, SEC-CC-5-17, SEC-CC-5-20




TECHNICAL DATA :

Materials : Die Cast Aluminium
ABS plastic
Stainless Steel Hardware
Flame Rating : UL 94 HB
Mounting Diameter : 50-70 mm
Operating Temp : -30 to +60 °C
Wind Survival : 160 km/h
Weight : 0.65 kg / 1.4 lbs - single piece incl. package
Single Piece Retail Box : 13,8 × 22 × 5,5 cm
Antenna Pigtaills : 2x SMA-RP to MMCX

PACKAGE CONTENTS :

StationBox® S CARRIER CLASS
Manual
2x Screws M2,9 x 6,5mm
Hose Clamp
Stickers (Power, USB)
Silicone O-Rings



* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/579/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com