

# RG-ES206MG-P REYEE 5-Port 2.5G Cloud Managed PoE Switch, 1 x 10G Uplink

**Kode** : RG-ES206MG-P

**Brand** : Ruijie - Reyee

**Jenis** : Switch Managed POE

**Harga** : Rp 1.322.000,00



RG-ES206MG-P 6 Port 2.5G Smart Cloud Managed PoE Switch. 1 port SFP+ and 1 port 2.5G uplink, 4 port 10/100/1000/2500Mbps PoE+ ports with max budget 70Watts, max. 16 VLANs.

**Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.**

Penawaran Harga Spesial

 **08112039555**

- 5 x 2.5G ports and 1 x 10GE SFP+ port for higher network performance
- 4 x PoE Out ports supporting IEEE 802.3 af/at standards, 70 W PoE budget
- Aggregation of up to 4 ports, unlocking higher network speed
- Cost-effective smart cloud managed switches
- Lifetime free cloud management on Ruijie Cloud anytime, anywhere



### Specification

<b>Model</b>	RG-ES206MG-P
<b>Ports</b>	5 x 10/100/1000/2500 BASE-T 1 x 10GE SFP+
<b>PoE/PoE+ ports</b>	4 PoE/PoE+ (IEEE 802.3af/at)
<b>PoE power pins</b>	1-2 (+), 3-6 (-)
<b>Max. PoE budget</b>	70 W
<b>Layer Type</b>	Layer 2
<b>Switching capacity</b>	45 Gbps
<b>Forwarding rate</b>	33.75 Mpps
<b>MAC address table</b>	4000
<b>VLAN</b>	16
<b>Fan</b>	Fanless
<b>Dimensions (W x D x H)</b>	172 mm x 90.8 mm x 28 mm
<b>MTBF</b>	200.000 hours

<b>Port surge</b>	4 kV
<b>Power Consumption</b>	5.5 W (with no PoE load) 75.5 W (with PoE full load)
<b>Power input</b>	DC adapter: Rated input voltage: 100 V AC to 240 V AC, 50 Hz to 60 Hz Maximum input voltage: 90 V AC to 264 V AC, 47 Hz to 63 Hz Rated input current: 1.5 A  Output: Rated output voltage: 54 V DC Maximum output current: 1.48 A
<b>Power supply</b>	DC power adapter
<b>Operating Temperature</b>	0°C to 40°C
<b>Operating humidity</b>	10% to 90% RH

[Download Datasheet](#)

\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/1396/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)