CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

RG-ES211GS-P REYEE 11-Port Gigabit Smart Cloud Managed PoE Switch, 1 x SFP Uplink



Kode : RG-ES211GS-P
Brand : Ruijie - Reyee
Jenis : Switch Managed POE
Harga : Rp 1.393.000,00


RG-ES211GS-P REYEE 11-Port Gigabit Smart Cloud Managed PoE Switch, 1 x SFP Uplink merupakan switch Layer 2 dilengkapi dengan 8 port PoE+ 10/100/1000BASE-T **(Max PoE Budget 120W)**, 2 port 10/100/1000BASE-T dan 1 port SFP 1G.
Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.

Penawaran Harga Spesial
08112039555

- **1 x 1GE SFP Port for Flexible Uplink.**
- **Cost-Effective Switch.**
- **IPC Recognition for Enhanced CCTV Network Value.**
- **Smart Protection for Service Continuity.**
- **Perpetual PoE.**
- **Lifetime Management on Ruijie Cloud Anytime, Anywhere.**

www.citraweb.com

FRONT VIEW



BACK VIEW







Specification

Model	RG-ES211GS-P
Number of 10/100/1000BASE-T ports	10
Number of 1GE SFP ports	1
Number of PoE/PoE+ Out ports	8
PoE power pins	1–2 (+), 3–6 (-)

PoE budget	120 W
Layer Type	Layer 2
Switching capacity	22 Gbps
Forwarding rate	16.37 Mpps
Max MAC address entries	16000
VLAN	32
Fan	Fanless
Dimensions (W x D x H)	205 mm x 105 mm x 28 mm
MTBF	200.000 hours
Port surge	6 kV
Power Consumption	8.5 W (with no PoE load) 128.5 W (with full PoE load)
Power input	DC adapter: Rated input voltage: 100 V AC to 240 V AC, 50 Hz to 60 Hz Maximum input voltage: 90 V AC to 264 V AC, 47 Hz to 63 Hz Rated input current: 2 A Output: Rated output voltage: 54 V DC Maximum output current: 2.5 A
Power supply	DC power adapter
Operating Temperature	0°C to 40°C
Operating humidity	10% to 90% RH (non-condensing)

www.citraweb.com

Download Datasheet

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : https://www.citraweb.com/produk/1570/

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com