

Switch Gigabit 5 port RB260GS



Kode : RB260GS
Kategori : Switch
Harga : Rp 745.000,00

Produk ini merupakan switch gigabit 5 port + **1 SFP port** dengan kemasan plastik, dengan prosesor Taifatech TF470 NAT accelerator (RISC, 50MHz), Atheros Switch Chip. Menggunakan Switch Operating System (SwOS) dari MikroTik. Sudah termasuk adaptor 12V.

Mampu melakukan fungsi-fungsi standart manageable switch, plus dapat mengatur port-to-port forwarding, menerapkan MAC filter, mengkonfigurasi VLAN, mirror traffic, bandwidth limitation, dan bahkan mengubah beberapa MAC dan IP header. Dikonfigurasi dilakukan menggunakan web.

Spesifikasi Produk

- **Product code:** RB/250GS
- **CPU:** Taifatech TF470 NAT accelerator (RISC, 50MHz)
- **RAM:** embedded 96K SRAM
- **Architecture:** RISC
- **LAN ports:** 5
- **Gigabit:** Yes
- **SFP Port:** 1
- **MiniPCI:** 0
- **miniPCI-e:** 0
- **Integrated Wireless:** 0
- **Wireless standards:** 0
- **USB:** 0
- **Memory Cards:** 0
- **Power Jack:** 9-28V DC
- **PoE:** yes (poe adaptor dibeli terpisah)
- **Dimensions:** 113x89x28mm
- **Operating System:** MikroTik SwOS
- **Temperature range:** -25? to +65?

Screen Capture Web Remote

MikroTik SwOS Logout

Link Forwarding Statistics VLAN VLANs Static Hosts Hosts SNMP ACL System

	Port1	Port2	Port3	Port4	Port5
Link					
Enabled	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Link Status	link on	no link	no link	no link	no link
Auto Negotiation	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Speed	100				
Full Duplex	yes	no	no	no	no
Crossover	no	no	no	no	no
Flow Control	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Discard Changes Apply All

MikroTik SwOS Logout

Link Forwarding Statistics **VLAN** VLANs Static Hosts Hosts SNMP ACL System

	Port1	Port2	Port3	Port4	Port5
Ingress					
VLAN Mode	disabled	disabled	disabled	disabled	disabled
Default VLAN ID	1	1	1	1	1
Force VLAN ID	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Egress					
VLAN Header	leave as is	leave as is	leave as is	leave as is	leave as is

Discard Changes Apply All

MikroTik SwOS

Link **Forwarding** Statistics VLAN VLANs Static Hosts Hosts SNMP ACL System Logout

	Port1	Port2	Port3	Port4	Port5
Forwarding					
From Port 1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
From Port 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
From Port 3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
From Port 4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
From Port 5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Port Lock					
Port Lock	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lock On First	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Port Mirroring					
Mirror Ingress	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mirror Outgress	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mirror To	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bandwidth Limit					
Ingres Rate	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Outgres Rate	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Broadcast Storm Control					
Storm Rate	<input type="text" value="unlimited"/>	<input type="text" value="unlimited"/>	<input type="text" value="unlimited"/>	<input type="text" value="unlimited"/>	<input type="text" value="unlimited"/>
Include Unicast	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Discard Changes Apply All

* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/340/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com