

RB260GSP MIKROTIK Switch Gigabit 5 Port POE

Kode : RB260GSP
Brand : Mikrotik
Jenis : Switch Managed POE
Harga : Rp 746.000,00
 Rp 883.000,00



Routerboard RB260GSP merupakan switch gigabit 5 port + **1 SFP port** dengan kemasan plastik, dengan prosesor Taifatech TF470 NAT accelerator (RISC, 50MHz), Atheros Switch Chip. Menggunakan Switch Operating System (SwOS) dari MikroTik. Sudah termasuk adaptor 12V. **PoE Out di Port 2-5**

Penawaran Harga Spesial

08112039555

Mampu melakukan fungsi-fungsi standart manageable switch, plus dapat mengatur port-to-port forwarding, menerapkan MAC filter, mengkonfigurasi VLAN, mirror traffic, bandwidth limitation, dan bahkan mengubah beberapa MAC dan IP header. Dikonfigurasi dilakukan menggunakan web. **PoE Out di Port 2-5**



Spesifikasi RB260GSP	
Product Code	RB260GSP
Architecture	RISC
CPU	Taifatech TF470 50MHz
Current Monitor	No
Main Storage/NAND	32MB
RAM	96K
SFP Ports	1

LAN Ports	5
Gigabit	Yes
Switch Chip	1
MiniPCI	0
Integrated Wireless	No
MiniPCle	0
SIM Card Slots	No
USB	No
Memory Cards	No
Power Jack	10-28V
802.3af Support	No
POE Input	10-28V
POE Output	Yes, Port 2-5
Serial Port	No
Voltage Monitor	No
Temperature Sensor	No
Dimentions	113x89x28mm
Operating System	SwOS
Temperature Range	-40C .. +55C
RouterOS License	-

Screen Capture Web Remote

MikroTik SwOS Logout

Link Forwarding Statistics VLAN VLANs Static Hosts Hosts SNMP ACL System

	Port1	Port2	Port3	Port4	Port5
Link					
Enabled	<input checked="" type="checkbox"/>				
Link Status	link on	no link	no link	no link	no link
Auto Negotiation	<input checked="" type="checkbox"/>				
Speed	100				
Full Duplex	yes	no	no	no	no
Crossover	no	no	no	no	no
Flow Control	<input checked="" type="checkbox"/>				

Discard Changes Apply All

MikroTik SwOS Logout

Link Forwarding Statistics **VLAN** VLANs Static Hosts Hosts SNMP ACL System

	Port1	Port2	Port3	Port4	Port5
Ingress					
VLAN Mode	disabled	disabled	disabled	disabled	disabled
Default VLAN ID	1	1	1	1	1
Force VLAN ID	<input type="checkbox"/>				
Egress					
VLAN Header	leave as is				

Discard Changes Apply All

MikroTik SwOS

[Link](#)
[Forwarding](#)
[Statistics](#)
[VLAN](#)
[VLANs](#)
[Static Hosts](#)
[Hosts](#)
[SNMP](#)
[ACL](#)
[System](#)
[Logout](#)

	Port1	Port2	Port3	Port4	Port5
Forwarding					
From Port 1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
From Port 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
From Port 3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
From Port 4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
From Port 5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Port Lock					
Port Lock	<input type="checkbox"/>				
Lock On First	<input type="checkbox"/>				
Port Mirroring					
Mirror Ingress	<input type="checkbox"/>				
Mirror Outgress	<input type="checkbox"/>				
Mirror To	<input type="radio"/>				
Bandwidth Limit					
Ingres Rate	<input type="text"/>				
Outgres Rate	<input type="text"/>				
Broadcast Storm Control					
Storm Rate	<input type="text" value="unlimited"/>				
Include Unicast	<input type="checkbox"/>				

* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/394/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com