

Embedded Wireless LHG XL HP5

Kode : RBLHG-5HPnD-XL

Brand : Mikrotik

Jenis : Wireless Outdoor

Harga : Rp 1.650.000,00



Produk Mikrotik variant terbaru yang menggabungkan Antenna Grid Outdoor gain besar dengan RouterBoard yang memiliki banyak fitur. Mengutamakan gain antenna besar yang bisa digunakan di link wireless lebih jauh dari produk lain, siap digunakan di jaringan wireless backbone Anda.

Menggunakan Standart Wireless 802.11a/n

***Untuk pembelian item ini tidak mendapatkan gratis ongkos kirim dan untuk pengambilan item ini hanya tersedia di kantor Yogyakarta.**

***Spesifikasi perangkat dijual bisa berbeda dengan yang ditampilkan karena menyesuaikan dengan regulasi di Indonesia.**


Penawaran Harga Spesial

 08112039555

The Light Head Grid (LHG) is a compact and light wireless device with an integrated dual polarization grid antenna at a revolutionary price. It is perfect for point to point links or for use as a CPE at longer distances. Several models are available with standard power, high power and even the XL with a higher gain and larger grid.



The grid design ensures protection against wind, and the fact that the antenna element is built into the wireless unit means no loss on cables.



Antenna Specification :

Operating frequency : 5150 - 5875 MHz
 Antenna gain : 27 +/- 0.5 dBi
 Antenna beam width : 6.4°
 Cross polar : 15 dBi
 Port to port isolation : 23 dB
 Front to back ratio : 25 dB

Detail Barang:

- Routerboard RBLHG-5HPnD-XL dengan outdoor Grid Antenna 5Ghz 27dbi
- 1 port ethernet (1 untuk PoE)
- 24V 0.38 A Power adapter
- Power over Ethernet Injector
- 2 pcs metal ring
- K-LHG kit

Spesifikasi RBLHG-5HPnD-XL	
Product Code	RBLHG-5HPnD-XL
Architecture	MIPSBE
CPU	AR9344 600MHz
Current Monitor	No
Main Storage/NAND	16MB
RAM	64MB
SFP Ports	0
LAN Ports	1
Gigabit	No
Switch Chip	No
MiniPCI	0
Integrated Wireless	1
Wireless Standarts	802.11a/n
Wireless Tx Power	28dbm
Integrated Antenna	Yes
Antenna Gain	27dbi
MiniPCle	0

SIM Card Slots	No
USB	No
Memory Cards	No
Power Jack	No
802.3af Support	No
POE Input	10-28
POE Output	No
Serial Port	No
Voltage Monitor	No
Temperature Sensor	No
Dimensions	Ã
Operating System	RouterOS
Temperature Range	-40Â°C
RouterOS License	Level3

* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/650/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com